# **INCOMPARABLE DEEP CYCLE AGM BATTERY**


LDC12-13 (12V13Ah)







## **CHARACTERISTICS**

Item		Specifications
Voltage		12V
Dimension	Length	152mm (5.98inches)
	Width	99mm (3.90inches)
	Container Height	97mm (3.82inches)
	Total Height	99mm (3.90inches)
Approx Weight		3.65kg (8.05lbs)
Terminal		T15-1(M5)
Container Material		ABS
Capacity	20HR	13Ah
	3HR	10.6Ah
Operating Temp. Range	Discharge	-20~55°C (-4~131°F)
	Charge	0~40°C (32~104°F)
	Storage	-15~40°C (5~104°F)









Note: Terminal Torque Values in-lb(Nm):17.69-26.53(2.0-3.0)

## **APPLICATIONS**

- · Electric vehicle
- Golf cart
- Sightseeing
- · Cleaning equipment
- AWP
- Mobility


















# INCOMPARABLE DEEP CYCLE AGM BATTERY





#### **GENERAL FEATURES**

#### Stable initial capacity

- · PAM/NAM amount optimization
- · 4BS crystal paste mixing & curing technology
- · Double layer separator technology
- · Improved design electrolyte S.G.

#### Less water loss

- · PAM/NAM amount optimization
- · New PAM/NAM recipe introduced
- · Rare earth alloy

#### Solve NAM sulphation

- · Carbon boost technology
- · Pre-sulfate technology

#### Improved PSoC cycling

- · Carbon boost technology
- · Mix carbon boost technology
- Targeting for higher level through carbon technology

#### Delay PAM softening and shedding


- · Plate assembly pressure re-engineering
- · 4BS crystal paste mixing & curing technology
- · Higher paste density


#### Optimize electrolyte stratification


· Introduce AGM-GEL technology


#### Excellent deep cycle performance

- · Plate assembly pressure re-engineering
- · New PAM/NAM recipe introduced
- · Gel electrolyte technology
- · Rare earth alloy
- · Double layer separator technology
- · Lower acid filling temperature









Leoch International Technology Ltd.

www.leoch.com

Leoch Batteries Pte Ltd

m www.leoch.sg

www.leochamericas.com

**Leoch Battery Corporation** 

Leoch Europe S.A.

www.leoch.eu