INCOMPARABLE DEEP CYCLE AGM BATTERY


LDC12-47H (12V47Ah)






CHARACTERISTICS


Item		Specifications
Voltage		12V
Dimension	Length	222.5mm (8.76inches)
	Width	105.4mm (4.15inches)
	Container Height	175mm (6.89inches)
	Total Height	175mm (6.89inches)
Approx Weight		10.6kg (23.4lbs)
Terminal		T15(M5)
Container Material		ABS
Reserve Capacity	25A	88min
	56A	29min
	75A	20mir
Capacity	20HR	47Ah
	5HR	40Ah
Operating Temp. Range	Discharge	-20~55°C (-4~131°F)
	Charge	0~40°C (32~104°F)
	Storage	-15~40°C (5~104°F)





APPLICATIONS

- Electric motorcycle
- Electric bicycle
- Wheelchair





















INCOMPARABLE DEEP CYCLE AGM BATTERY



LDC12-47H (12V47Ah)

GENERAL FEATURES

Stable initial capacity

- · PAM/NAM amount optimization
- · 4BS crystal paste mixing & curing technology
- · Double layer separator technology
- · Improved design electrolyte S.G.

Less water loss

- · PAM/NAM amount optimization
- · New PAM/NAM recipe introduced
- · Rare earth alloy

Solve NAM sulphation

- · Carbon boost technology
- · Pre-sulfate technology

Improved PSoC cycling

- · Carbon boost technology
- · Mix carbon boost technology
- Targeting for higher level through carbon technology

Delay PAM softening and shedding


- · Plate assembly pressure re-engineering
- · 4BS crystal paste mixing & curing technology
- · Higher paste density


Optimize electrolyte stratification


· Introduce AGM-GEL technology


Excellent deep cycle performance

- · Plate assembly pressure re-engineering
- · New PAM/NAM recipe introduced
- · Gel electrolyte technology
- · Rare earth alloy
- · Double layer separator technology
- · Lower acid filling temperature









Leoch International Technology Ltd.

www.leoch.com

Leoch Batteries Pte Ltd

www.leoch.sg

Leoch Battery Corporation

www.leochamericas.com

Leoch Europe S.A.

www.leoch.eu