

# AGM START-STOP BATTERY

AGM-L2 (12V60Ah)



## CHARACTERISTICS




Item	Specifications
Nominal Voltage	12V
Nominal Capacity (20HR)	60Ah
Reserve Capacity	100min
Cold Cranking Amps@0°F (-18°C)	660A
Dimension	Length
	242mm(9.53inches)
	Width
Dimension	175mm(6.89inches)
	Height
Dimension	190mm(7.48inches)
	Approx Weight
Dimension	17.8kg(39.2lbs)
	Terminal
Dimension	1
	Cell layout
Dimension	1
	Hold-Down
Dimension	B13
	Case
Dimension	Black-PP Material
	Cover
Dimension	Black-PP Material
	Handle
Dimension	TS2

## APPLICATIONS

- Car with start-stop system
- EV/HEV
- Engine start

## GENERAL FEATURES

- Maximum CCA and life
- Valve regulated technology
- Advanced Absorbed Glass Mat (AGM) technology
- Top-level safety - absolutely no free acid
- 2x Faster Charge Acceptance than conventional starter batteries
- 3x higher cycle life than conventional starter batteries
- Suit for working in partial state of charge operations (PSoC)
- OE quality certification



\*Values are subject to variation of +/- 5% in normal manufacturing processes.


Leoch International Technology Ltd.



Leoch Batteries Pte Ltd



Leoch Battery Corporation



Leoch Europe S.A.



Data above is recommended and the picture is only for battery effect display, Leoch reserve the final right of explanation.  
© LEOCH. All rights reserved. Trademarks and logos are the property of LEOCH and its affiliates unless otherwise noted. Subject to revisions without prior notice. E&OE.

Publication No.: LB-AGM-L2-PD-EN-V1.0-20250219