FLOODED BATTERY 31AT-630 (12V80Ah)





CHARACTERISTICS


Item		Specifications
Nominal Voltage		12V
Nominal Capacity (20HR)		80Ah
Reserve Capacity		138min
Cold Cranking Amps@0°F (-18°C)		630A
	Length	329mm (13.0inches)
Dimension	Width	171mm (6.73inches)
	Height	237mm (9.33inches)
Approx Weight		21.9kg (48.3lbs)
Terminal		12
Cell layout		1
Hold-Down		B0
Case		Black-PP Material
Cover		Black-PP Material
Handle		TS9

APPLICATIONS

Car start

•EV/HEV

•Engine start





GENERAL FEATURES


·High capacity and high CCA

Long life


- •Advanced lead-calcium alloy technology, maintenance-free design
- •Patented venting system bring less water loss and prevent acid

leakage

•OE quality certification







*Values are subject to variation of +/- 5% in normal manufacturing processes.

Leoch International Technology Ltd. @ www.leoch.com

Leoch Batteries Pte Ltd www.leoch.sg

Leoch Battery Corporation www.leochamericas.com

Leoch Europe S.A. @ www.leoch.eu

Data above is recommended and the picture is only for battery effect display, Leoch reserve the final right of explanation. © LEOCH. All rights reserved. Trademarks and logos are the property of LEOCH and its affiliates unless otherwise noted.Subject to revisions without prior notice. E&OE.

Publication No.:LB-31AT-630-PD-EN-V1.0-20241228