## **FLOODED HIGH TEMPERATURE BATTERY** 90E41RHT (12V95Ah)






## **CHARACTERISTICS**

Item		Specifications
Nominal Voltage		12V
Nominal Capacity (20HR)		95Ah
Reserve Capacity		169min
Cold Cranking Amps@0°F (-18°C)		640A
Dimension	Length	408mm (16.1inches)
	Width	170mm (6.69inches)
	Height	233mm (9.17inches)
Approx Weight		25.0kg (55.1lbs)
Terminal		1
Cell layout		1
Hold-Down		B0
Case		Black-PP Material
Cover		Black-PP Material
Handle		TS8

## **APPLICATIONS**

- •Car start
- •EV/HEV
- •Engine start




\*Values are subject to variation of +/- 5% in normal manufacturing processes.


Leoch International Technology Ltd.

@ www.leoch.com

**GENERAL FEATURES** 

- •Design for high temperature countries and regions
- •Superior life in high temperature environment
- •High tin alloy and thicker positive grid
- •High-temp paste
- •Patented venting system bring less water loss and prevent acid leakage





Leoch Battery Corporation @ www.leochamericas.com Leoch Europe S.A.

Data above is recommended and the picture is only for battery effect display, Leoch reserve the final right of explanation. © LEOCH. All rights reserved. Trademarks and logos are the property of LEOCH and its affiliates unless otherwise noted.Subject to revisions without prior notice. E&OE.

Leoch Batteries Pte Ltd

@ www.leoch.sg

Publication No.:LB-90E41RHT-PD-EN-V1.0-20250103