AGM START-STOP BATTERY







CHARACTERISTICS


Item		Specifications
Nominal Voltage		12V
Nominal Capacity (20HR)		50Ah
Reserve Capacity		80min
Cold Cranking Amps@0°F (-18°C)		570A
	Length	207mm (8.15inches)
Dimension	Width	175mm (6.89inches)
	Height	190mm (7.48inches)
Approx Weight		15.1kg (33.3lbs)
Terminal		1
Cell layout		1
Hold-Down		B13
Case		Black-PP Material
Cover		Black-PP Material
Handle		TS2

APPLICATIONS

•Car with start-stop system

•EV/HEV

•Engine start



*Values are subject to variation of +/- 5% in normal manufacturing processes.

Leoch International Technology Ltd.

Leoch Batteries Pte Ltd


GENERAL FEATURES


- •Maximum CCA and life
- •Valve regulated technology


•Advanced Absorbed Glass Mat (AGM) technology

- •Top-level safety absolutely no free acid
- •2x Faster Charge Acceptance than conventional starter batteries
- •3x higher cycle life than conventional starter batteries

Suit for working in partial state of charge operations (PSoC)OE quality certification







Leoch Battery Corporation

Leoch Europe S.A.

Data above is recommended and the picture is only for battery effect display, Leoch reserve the final right of explanation. © LEOCH. All rights reserved. Trademarks and logos are the property of LEOCH and its affiliates unless otherwise noted.Subject to revisions without prior notice. E&OE.